


# OPTIKINETICS




INNER SPACE



THAMES




WILDLIFE



CIRCUIT

SOLAR WHEEL SAFE








## SOLAR WHEEL SAFE

For use in either Optikinetics Solar 250, Solar 575 or Quasar Projectors.

The Solar Wheel Safe is a rotator with a metal housing, which gives protection to liquid and other 6" Effect Wheels during both use and transit.

Available in a variety of speeds, slow (6 minutes per revolution), 1/2, 5, 20 and 60 rpm the Solar Wheel Safe allows hire companies and touring users to confidently increase their variety of Optikinetics effects.

### TECHNICAL SPECIFICATION: SOLAR WHEEL SAFE

 190x170x80mm	 12v AC	 6 Min, 1/2, 5, 20 & 60rpm
 0.7Kg	 Black	

# 575 6 INCH EFFECT WHEELS



FLAGS




CHAOS




SAFARI



GRAFFITI



UTOPIA



TOONS



EASTERN HORIZONS



MUNCHIES



SHAPELAND

## 6" EFFECT WHEELS


These latest additions to the Optikinetics range of 6" Effect Wheels were commissioned from a variety of art students and projection artists already familiar with Optikinetics equipment. A selection of contemporary styles and processes have been utilised in order to bring you up to date imagery.


As well as turning slowly through the gate of a Solar 250 or Solar 575 Effects Projector to produce a constantly moving image they may also be used to dramatic effect on faster Rotators in Optikinetics Quasar Xe900 Strobe Projectors linked to a Strobe Control Unit.

Optikinetics 6" Effect Wheels are now produced from more durable materials in a '575 Safe' format to withstand the higher operating temperature of the Solar 575.

A toughened edge ground glass substrate carries either rich colour screened inks or has a high performance Cibachrome film laminated to it. The object material is protected by a layer of clear polycarbonate spaced off with an air gap to allow direct forced-air cooling.

### TECHNICAL SPECIFICATION: 6" EFFECT WHEELS

 180x180x40mm

 0.18Kg

 6" (153mm)